




amphion

Helium series

410 | 510 | 520 | 520C 



Your perfect home



Helium range is made for people who do not want to compromise. They

- blend into your home's interior
- are easy to place
- sound clear and natural even with low listening levels and
- thank to their controlled dispersion keep their clarity even when placed close to the boundaries, such as desktops, TV tops, bookshelves or side or back walls.

A perfect home looks, sounds, and feels perfect. Does yours?



Helium410



Helium510



Helium520C



Helium520

All helium products are handmade in Finland.

Technical specifications

Helium410

Operating principle:	2-way, vented
Tweeter:	1" titanium
Mid / woofer:	4,5" paper
Crossover point:	1600 Hz
Impedance:	8 ohm
Sensitivity:	86 dB
Frequency response:	60 - 20 000 Hz +/-3dB
Power recommendation:	20 - 80 W
Measurements (h x w x d):	259 x 132 x 220 mm
Weight:	3,5 kg
Colours:	black, white, full white and colour grids

Helium520

Operating principle:	2-way, vented
Tweeter:	1" titanium
Mid / woofer:	2 x 5,25" paper
Crossover point:	1600 Hz
Impedance:	4 ohm
Sensitivity:	90 dB
Frequency response:	40 - 30 000 Hz
Power recommendation:	10 - 150 W
Measurements (h x w x d):	1040 x 160 x 215 mm
Weight:	16 kg
Colours:	black, white, full white and veneer wood cherry, birch and walnut

Helium410

Despite being small and easy to place Helium410 sounds full bodied and works nicely without a subwoofer. Helium410 is compact and easy to place, even as a surround speaker. Its timeless appearance and variety of color options allow you to blend it with any decor.

Helium510

Helium510 is a highly versatile loudspeaker. Due to wide and even dispersion Helium510 performs well in real world placements, where traditional non-controlled speakers run into trouble. Helium510's clear, natural voice band is a joy. Especially as it keeps its intelligibility even at whisper-like late night listening levels.

Helium510

Operating principle:	2-way, vented
Tweeter:	1" titanium
Mid / woofer:	5,25" paper
Crossover point:	1600 Hz
Impedance:	8 ohm
Sensitivity:	86 dB
Frequency response:	47 - 30 000 Hz
Power recommendation:	20 - 100 W
Measurements (h x w x d):	316 x 160 x 265 mm
Weight:	7 kg
Colours:	black, white, full white and veneer wood cherry, birch and walnut

Helium520C

Operating principle:	2-way, vented
Tweeter:	1" titanium
Mid / woofer:	2 x 5,25" paper
Crossover point:	1600 Hz
Impedance:	4 ohm
Sensitivity:	90 dB
Frequency response:	45 - 30 000 Hz +/-3dB
Power recommendation:	10 - 150 W
Measurements (h x w x d):	160 x 510 x 265 mm
Weight:	10 kg
Colours:	black, white, full white and veneer wood cherry, birch and walnut

Helium520

Slim, elegant and easy to place Helium520 adapts to your requirements also aesthetically. It maybe be poised and pretty, but packs a mighty punch.

Amphion Waveguide not only integrates the drivers, but also provides a wide and evenly balanced listening area, so that you can enjoy your music even while moving around in your home.

Helium520C

Midrange resolution and clarity of human voices are especially important for center channel. The TAPS concept (Time Accurate Point Source) allows drivers to act like one big unit. Helium520C is electrically identical to Helium520 floorstanders to ensure perfect integration between channels. It also works well with Helium510.

Helium410

"The sound has impressive impact with immediacy and warmth."

Stephen Mejias, Stereophile Magazine

Helium510

"This is a well-built and exactly thought out speaker, that has much to recommend it."
"Beyond-its-class fidelity."

Srajan Ebaen, www.6moons.com

Helium520

"This is a truly exceptional and clever speaker, offering a rare combination of warmth, neutrality, coherence and fine imaging."

Paul Messenger, Hifi Choice

Amphion Loudspeakers Ltd

P.O.Box 6, FI-70821 Kuopio | Finland | Tel: +358 17 2882 100 | Fax +358 17 2882 111 | info@amphion.fi | www.amphion.fi